WEST Search History

| Hide Items | Restore | Clear | Cancel |

DATE: Tuesday, June 08, 2004

Hide?	**Set Name**	**Query**	**Hit Count**
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L8	5764978 .uref.	3
☐	L7	L6 and map$	9
☐	L6	L5 and entit$	14
☐	L5	L4 and l1	25
☐	L4	(relational near5 structure) and (hierarchical near5 structure)	514
☐	L3	(relational near5 structure) and (hierarchicalnear5 structure)	0
☐	L2	'relational to hierarchical'	0
☐	L1	(relational and hierarchical).ti.	71

END OF SEARCH HISTORY

h   e b   b cg b   chh   e bh g   f   c   e   ch

Hit List

Search Results - Record(s) 1 through 8 of 8 returned.

☐ 1. Document ID: US 20020129017 A1

Using default format because multiple data bases are involved.

L7: Entry 1 of 8   File: PGPB   Sep 12, 2002

PGPUB-DOCUMENT-NUMBER: 20020129017
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20020129017 A1

TITLE: Hierarchical characterization of fields from multiple tables with one-to-many relations for comprehensive data mining

PUBLICATION-DATE: September 12, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Kil, David	Gilroy	CA	US	
Gregory, Brian	Newbury Park	CA	US	

US-CL-CURRENT: 707/6

☐ 2. Document ID: US 20020010700 A1

L7: Entry 2 of 8   File: PGPB   Jan 24, 2002

PGPUB-DOCUMENT-NUMBER: 20020010700
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20020010700 A1

TITLE: System and method for sharing data between relational and hierarchical databases

PUBLICATION-DATE: January 24, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Wotring, Steven C.	Austin	TX	US	
Ripley, John R.	Round Rock	TX	US	

h   e b   b g ee e f   e   ef   b   e

US-CL-CURRENT: 707/100

`| Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw De`

☐ 3.   Document ID: US 20010034733 A1

L7: Entry 3 of 8   File: PGPB   Oct 25, 2001

PGPUB-DOCUMENT-NUMBER: 20010034733
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20010034733 A1

TITLE: System and method for providing access to databases via directories and other hierarchical structures and interfaces

PUBLICATION-DATE: October 25, 2001

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Prompt, Michel —	Novato	CA	US	
Samuelson, Claude Y.	Novato	CA	US	

US-CL-CURRENT: 707/102; 707/3

`| Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw De`

☐ 4.   Document ID: US 6684222 B1

L7: Entry 4 of 8   File: USPT   Jan 27, 2004

US-PAT-NO: 6684222
DOCUMENT-IDENTIFIER: US 6684222 B1

TITLE: Method and system for translating data associated with a relational database

DATE-ISSUED: January 27, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Cornelius; Shawn S.	Strangsville	OH		
Huffman; Arnold Z.	Chicago	IL		
Klug; Matthew C.	Hudson	OH		
Krahn; Richard R.	North Lake Elmo	MN		
Su; Eric C.	Foster City	CA		
Sweeney; Michael S.	Parma Heights	OH		

US-CL-CURRENT: 707/104.1; 715/513

`| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KWIC | Draw De`

h   e   b   b   g   e   e   f   e   ef   b   e

5. Document ID: US 6236997 B1

L7: Entry 5 of 8   File: USPT   May 22, 2001

US-PAT-NO: 6236997
DOCUMENT-IDENTIFIER: US 6236997 B1

TITLE: Apparatus and method for accessing foreign databases in a heterogeneous database system

DATE-ISSUED: May 22, 2001

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Bodamer; Roger	Mountain View	CA		
Voss; Eric	Foster City	CA		
Draaijer; Jacco	Mountain View	CA		

US-CL-CURRENT: 707/10; 709/201

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | | Claims | KWIC | Draw D |

6. Document ID: US 6226649 B1

L7: Entry 6 of 8   File: USPT   May 1, 2001

US-PAT-NO: 6226649
DOCUMENT-IDENTIFIER: US 6226649 B1

TITLE: Apparatus and method for transparent access of foreign databases in a heterogeneous database system

DATE-ISSUED: May 1, 2001

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Bodamer; Roger	Mountain View	CA		
Draaijer; Jacco	Mountain View	CA		
Voss; Eric	Foster City	CA		
Mani; Raghu	Mountain View	CA		

US-CL-CURRENT: 707/104.1; 707/10, 707/102, 707/2, 707/3, 709/203, 709/217, 709/245, 709/246

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | | Claims | KWIC | Draw D |

7. Document ID: US 6041344 A

L7: Entry 7 of 8   File: USPT   Mar 21, 2000

h   e b   b g e e e f   e   ef   b   e

US-PAT-NO: 6041344
DOCUMENT-IDENTIFIER: US 6041344 A

TITLE: Apparatus and method for passing statements to foreign databases by using a virtual package

DATE-ISSUED: March 21, 2000

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Bodamer; Roger	Mountain View	CA		
Draaijer; Jacco	Mountain View	CA		
Voss; Eric	Foster City	CA		
Mani; Raghu	Mountain View	CA		

US-CL-CURRENT: 709/203; 709/217, 709/245, 709/246

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw D |

☐ 8. Document ID: US 5974407 A

L7: Entry 8 of 8   File: USPT   Oct 26, 1999

US-PAT-NO: 5974407
DOCUMENT-IDENTIFIER: US 5974407 A

TITLE: Method and apparatus for implementing a hierarchical database management system (HDBMS) using a relational database management system (RDBMS) as the implementing apparatus

DATE-ISSUED: October 26, 1999

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Sacks; Jerome E.	Lexington	MA	02173	

US-CL-CURRENT: 707/2; 707/1, 707/100

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw D |

| Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS |

Term	Documents
CONVERT$	0
CONVERT	565160
CONVERTA	79
CONVERTAABLE	1

h   e b   b g ee e f   e   ef   b   e

CONVERTABE	1
CONVERTABIE	1
CONVERTABIITY	1
CONVERTABILITY	226
CONVERTABL	1
CONVERTABLE	1081
CONVERTABLEDEXTROSE	1
(L6 AND (CONVERT$ NEAR5 DATABASE$1)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	8

There are more results than shown above. Click here to view the entire set.

Display Format: |-   Change Format

Previous Page   Next Page   Go to Doc#

h   e b   b g ee e f   e   ef   b   e

Web   Images   Groups   News   Froogle^{New!}   **more »**

[relational database translating hierarchical dat] **Search**

Web Results **21 - 30** of about **23,400** for **relational database translating hierarchical database**. (**0.44** second

Pearson Education
... Query Processing and Optimization **Translating** SQL Queries ... XML
Documents and **Relational Databases** XML Querying 27 ... Emerging
Database Technologies and Applications ...
www.pearsoned.co.uk/ Academics/Book.asp?
prodID=100000000040711&d=CM&sd=CMDS - 34k - Jun 6, 2004 - Cached
- Similar pages

LDAPzone: General Interest
... can be deployed as applications on top of **Relational databases**. ... is
left to choose an underlying **database**. ... supporting extensible schema,
translating queries to ...
www.ldapzone.com/general_interest.html - 28k - Cached - Similar pages

[PPT] Storing and Querying Ordered XML Using a **Relational Database** ...
File Format: Microsoft Powerpoint 97 - View as HTML
... **Translating** XML Updates. ... 1. **Relational database** system can support ordered XML
queries efficiently. ... 4. The **relational** optimizers need to understand the ...
www.cs.wayne.edu/~csc8710/slides/lana.ppt - Similar pages

[DOC] Chapter 4
File Format: Microsoft Word 2000 - View as HTML
... of processing efficiency, the **relational database** is rated ... The development of a
database requires organizational ... user functionality by **translating** the messages ...
www.icasit.org/mis201/q3.doc - Similar pages

Re: Pre-**relational**, post-**relational**, 1968 CODASYL "Survey of Data ...
... IMS/DB is the same as DL/I (the **hierarchical database**). ... IMS/DB "under the covers",
by **translating** DL/I ... Message body]; Next message : Neo: "Re: **Relational** vs. ...
www.orafaq.net/usenet/comp.**databases**.theory/ current/01/0002.htm - 8k - Cached -
Similar pages

Visual Basic 6 **Database** Programming Bible TOC - Computer Books ...
... Chapter 3: Designing a **Relational Database** Overview of the ... mask Prompting the
user **Database** considerations Using the ... Selecting from a list **Translating** a value. ...
www.computerbooksonline.com/chapters/vb6toc.htm - 35k - Cached - Similar pages

[PDF] Using a **Relational Database** Management System to Implement XML-QL
File Format: PDF/Adobe Acrobat - View as HTML
... combine the proven technology of **relational databases** and SQL ... Section 3 will
discuss the **relational** architecture of ... discuss our approach to **translating** XML-QL ...
www.ir.iit.edu/publications/downloads/ICAST-2001.pdf - Similar pages

[PDF] On the updatability of XML views over **relational databases**
File Format: PDF/Adobe Acrobat - View as HTML
... 3.2 **Translating** XML updates into **relational** view updates For ... to an insertion in the
relational component of ... VALUES ("DEXA", "Conference on **Database** and Expert ...
www.inf.ufrgs.br/~vanessa/artigos/webdb2003.pdf - Similar pages

CS4221: **Database** Design

... Brief Introducation on **Hierarchical** Model and Network ... **Database** Design Using Entity-Relationship Approach Entity ... **Relational Database** Design Using ER Approach. ...
www.comp.nus.edu.sg/~lingtw/cs4221.html - 5k - Cached - Similar pages

[PDF] Storing and Querying Ordered XML Using a **Relational Database ...**
File Format: PDF/Adobe Acrobat - View as HTML
... system does not understand the **hierarchical** structure of ... querying XML documents
using **relational database** systems ... into relations and for **translating** XML queries ...
www.cs.cornell.edu/people/jai/papers/OrderedXML.pdf - Similar pages

◀ Goooooooooooogle ▶

Result Page: **Previous** 1 2 **3** 4 5 6 7 8 9 101112   **Next**

| relational database translating hierar | Search |

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

h   g g e c   e ch   e   b e   g h e   ch c   b e h

CiteSeer Find: |1999 relational data hierarchical data| **Documents**   **Citations**

Searching for **PHRASE 1999 relational data hierarchical data structurre.**
Restrict to: <u>Header</u> <u>Title</u> Order by: <u>Expected citations</u> <u>Hubs</u> <u>Usage</u> <u>Date</u> Try: <u>Amazon</u> <u>B&N</u> <u>Google</u>
<u>(CiteSeer)</u> <u>Google (Web)</u> <u>CSB</u> <u>DBLP</u>
No documents match Boolean query. Trying non-Boolean relevance query.
1000 documents found. **Only retrieving 500 documents (System busy - maximum reduced).** Retrieving
documents... **Order: relevance to query.**

<u>Frames, Objects and Relations: Three Semantic.. - Norrie, Reimer.. (1994)</u> (Correct)
bridging the semantic gap between the frame and **relational** levels and enabling the use of semantic
for large-scale knowledge base systems based on **data**base technologies and the three levels of semantic
www.globis.ethz.ch/publications/docs/1994d-nrlrs-krdb.ps.gz

<u>Web Based Parallel/Distributed Medical Data Mining.. - Kargupta, Stafford..</u> (Correct)
overview of the PADMA system. The parallel **relational data**base accessing operations of PADMA agents
Web Based Parallel/Distributed Medical **Data** Mining Using Software Agents Hillol Kargupta,
a "concept graph" which may be either a **hierarchical** graph of clusters, or decision trees, or
www.eecs.wsu.edu/~hillol/pubs/padmaMed.ps

<u>Indexing for Data Models with Constraints and Classes - Kanellakis, Ramaswamy.. (1993)</u> (Correct)
<u>(71 citations)</u>
concepts from constraint programming (e.g.**relational** tuples are generalized to conjunctions of
Indexing for **Data** Models with Constraints and Classes Paris C.
ftp.cs.brown.edu/pub/techreports/93/cs93-21.ps.Z

<u>Data Collection in a Process-Sensitive Software.. - Giese, Hoisl, Lott.. (1994)</u> (Correct)
Data Collection in a Process-Sensitive Software
www.cs.umd.edu/users/cml/work/pubs/1994-ispw9.ps.gz

<u>Materialized View Selection in a Multidimensional Database - Baralis (1997)</u> (Correct) <u>(48 citations)</u>
on huge amounts of historical **data**. An MDDB is a **relational data** warehouse, in which the information is
Materialized View Selection in a Multidimensional **Database** Elena Baralis Politecnico di Torino
www.informatik.uni-trier.de/~ley/vldb/BaralisPT97/parabosc97.ps

<u>Parallel and Distributed Search for Structure in.. - Oates, Schmill, Cohen (1996)</u> (Correct) <u>(2 citations)</u>
KDD encompasses more complex forms of **data** (e.g. **relational data**) and transformation and analysis
Abstract Efficient **data** mining algorithms are crucial for effective
www-eksl.cs.umass.edu/papers/Oates96a.ps

<u>A Hypertext System for Integrating Heterogeneous, Autonomous.. - Noll, Scacchi (1994)</u> (Correct) <u>(2 citations)</u>
values. e SLCSE and NuMil use the underlying **relational** dbms to provide concurrency control. f Dml
Hypertext System (DHT)Based on a hypertext **data** model and client-server architecture, DHT features
types no no a Directories" refers to **hierarchical** containers of objects or other directories.
cwis.usc.edu/dept/ATRIUM/Papers/Integrating_Software_Repositories.ps

<u>Integrating Temporal, Real-Time, and Active Databases - Ramamritham.. (1996)</u> (Correct) <u>(3 citations)</u>
Integrating Temporal, Real-Time, and Active **Data**bases Krithi Ramamritham, Raju Sivasankaran, John
www-ccs.cs.umass.edu/~sim/sigrec96.ps

<u>Information Management in Process-Centered.. - Barghouti.. (1995)</u> (Correct)
the developers of a PSEE may decide to use a **relational data**base system to store relationships between
PSEEs include a repository that stores product **data** or process enactment **data** or both. Different PSEEs
tokio.dbis.informatik.uni-frankfurt.de/REPORTS/GOODSTEP/GoodStepReport023.ps.gz

<u>The Data Reduction Expert Assistant - Miller (1992)</u> (Correct)
- 1 -The **Data** Reduction Expert Assistant Glenn E. Miller Space
www.stsci.edu/~miller/draco/draco-aldb.ps

h   c e ee   e   c   c   e   h e   ch c   c   e   c

Theory Combination: an alternative to Data Combination - Ting, Low (1996)   (Correct)
Theory Combination: an alternative to **Data** Combination Kai Ming Ting
www.cs.waikato.ac.nz/~ml/publications/1996/KaiMing-WP96.ps

Scheduling Access To Temporal Data In Real-Time Databases - Xiong, Sivasankaran.. (1997)   (Correct)
(3 citations)
1 Scheduling Access To Temporal **Data** In Real-Time **Databases** Ming Xiong, Rajendran
www-ccs.cs.umass.edu/~sim/rtdb-chapter96.ps

Databases for Active, Rapidly, Changing data Systems (ARCS) and.. - Datta (1996)   (Correct)   (1 citation)
extensions to conventional **data** models such as **relational** or object-oriented, or have concerned
Databases for Active, Rapidly, Changing **data** Systems
loochi.bpa.arizona.edu/pub/publications/tse.ps.gz

MacFS: A Portable Macintosh File System Library - Dinda, Necula, Price (1998)   (Correct)
not well suited to reentrancy and that its complex **data** structures can lead to slow implementations in
Virtual File System. We describe the Macintosh **Hierarchical** File System and our implementation and note
reports-archive.adm.cs.cmu.edu/anon/1998/CMU-CS-98-145.ps

Energy-Efficient Index Replication for Wireless Data Broadcasting - Yon Dohn   (Correct)
Energy-Efficient Index Replication for Wireless **Data** Broadcasting Yon Dohn Chung Myoung Ho Kim
in our paper, organizes the index in a **hierarchical** structure and replicates partial indexs
dbserver.kaist.ac.kr/NEW/warehouse/./thesis_store/ydchung7.ps.gz

Representative Objects: Concise Representations of.. - Nestorov, Ullman.. (1997)   (Correct)   (37 citations)
data, unlike **data** stored in typical **relational** or object-oriented **databases**, does not have
Representations of Semistructured, **Hierarchical Data** Svetlozar Nestorov, Jeffrey Ullman, Janet Wiener,
Concise Representations of Semistructured, **Hierarchical Data** Svetlozar Nestorov, Jeffrey Ullman, Janet
www-db.stanford.edu/pub/papers/representative-object.ps

DEFLATE Compressed Data Format Specification version 1.3 - Deutsch (1996)   (Correct)   (4 citations)
Category: Informational May 1996 DEFLATE Compressed **Data** Format Specification version 1.3 Status of This
ftp.kiae.su/pub/.1/internet/rfc/rfc1951.ps

Multiple Paths Join for Nested Relational Databases - Liu, Ramamohanarao (1993)   (Correct)   (1 citation)
Multiple Paths Join for Nested **Relational Data**bases Hong-Cheu Liu Kotagiri
Multiple Paths Join for Nested **Relational Data**bases Hong-Cheu Liu Kotagiri Ramamohanarao
has been carried out in this area. It use **hierarchical** structures rather than flat tables to enable
munkora.cs.mu.oz.au/publications/tr_db/./mu_93_23.ps.gz

Chapter 1 Driving Issues in Scalable Libraries.. - Anthony Skjellum   (Correct)
Issues in Scalable Libraries: Poly-Algorithms, **Data** Distribution Independence, Redistribution, Local
www.cs.msstate.edu/~tony/documents/Toolbox/siam_7thpar.ps.Z

Waltz Quick Start - Version Roberts (1996)   (Correct)
Waltz is a tool to visualize three dimensional **data** and reads special reference files containing
www.cs.ukc.ac.uk/pubs/1996/313/content.ps.gz

First 20 documents Next 20

Try your query at: Amazon   Barnes & Noble   Google (CiteSeer)   Google (Web)   CSB
DBLP

h   c e ee   e   c c   e   he ch c   c   e c

CiteSeer Find: |1999 transforming relational data hier| Documents | Citations

Searching for **PHRASE 1999 transforming relational data hierarchical data structurre**.
Restrict to: <u>Header</u> <u>Title</u> Order by: <u>Expected citations</u> <u>Hubs</u> <u>Usage</u> <u>Date</u> Try: <u>Amazon</u> <u>B&N</u> <u>Google</u>
<u>(CiteSeer)</u> <u>Google (Web)</u> <u>CSB</u> <u>DBLP</u>
No documents match Boolean query. Trying non-Boolean relevance query.
1000 documents found. **Only retrieving 500 documents (System busy - maximum reduced).** Retrieving
documents... **Order: relevance to query.**

<u>Frames, Objects and Relations: Three Semantic.. - Norrie, Reimer.. (1994)</u> <u>(Correct)</u>
FRM we have specified a second mapping that **transforms** a frame class description to be interpreted as
bridging the semantic gap between the frame and **relational** levels and enabling the use of semantic
for large-scale knowledge base systems based on **data**base technologies and the three levels of semantic
www.globis.ethz.ch/publications/docs/1994d-nrlrs-krdb.ps.gz

<u>Web Based Parallel/Distributed Medical Data Mining.. - Kargupta, Stafford..</u> <u>(Correct)</u>
Introduction **Data** mining involves extraction, **transformation**, and presentation of **data** in useful form.
overview of the PADMA system. The parallel **relational data**base accessing operations of PADMA agents
Web Based Parallel/Distributed Medical **Data** Mining Using Software Agents Hillol Kargupta,
www.eecs.wsu.edu/~hillol/pubs/padmaMed.ps

<u>Indexing for Data Models with Constraints and Classes - Kanellakis, Ramaswamy.. (1993)</u> <u>(Correct)</u>
<u>(71 citations)</u>
using standard **data** structure techniques, to **transform** our insertion bounds from amortized to
concepts from constraint programming (e.g.**relational** tuples are generalized to conjunctions of
Indexing for **Data** Models with Constraints and Classes Paris C.
ftp.cs.brown.edu/pub/techreports/93/cs93-21.ps.Z

<u>Information Management in Process-Centered.. - Barghouti.. (1995)</u> <u>(Correct)</u>
together, and it must implement schemes for **transforming data** items from their main memory
the developers of a PSEE may decide to use a **relational data**base system to store relationships between
PSEEs include a repository that stores product **data** or process enactment **data** or both. Different PSEEs
tokio.dbis.informatik.uni-frankfurt.de/REPORTS/GOODSTEP/GoodStepReport023.ps.gz

<u>Data Collection in a Process-Sensitive Software.. - Giese, Hoisl, Lott.. (1994)</u> <u>(Correct)</u>
Data Collection in a Process-Sensitive Software
www.cs.umd.edu/users/cml/work/pubs/1994-ispw9.ps.gz

<u>Materialized View Selection in a Multidimensional Database - Baralis (1997)</u> <u>(Correct)</u> <u>(48 citations)</u>
on huge amounts of historical **data**. An MDDB is a **relational data** warehouse, in which the information is
Materialized View Selection in a Multidimensional **Database** Elena Baralis Politecnico di Torino
www.informatik.uni-trier.de/~ley/vldb/BaralisPT97/parabosc97.ps

<u>Parallel and Distributed Search for Structure in.. - Oates, Schmill, Cohen (1996)</u> <u>(Correct)</u> <u>(2 citations)</u>
an iterative process in which **data** is repeatedly **transform**ed and analyzed to reveal hidden structure. 1
KDD encompasses more complex forms of **data** (e.g. **relational data**) and **transform**ation and analysis
Abstract Efficient **data** mining algorithms are crucial for effective
www-eksl.cs.umass.edu/papers/Oates96a.ps

<u>Multiple Paths Join for Nested Relational Databases - Liu, Ramamohanarao (1993)</u> <u>(Correct)</u> <u>(1 citation)</u>
data model and query language [12]By **transforming** object queries into an object algebra in the
Multiple Paths Join for Nested **Relational Data**bases Hong-Cheu Liu Kotagiri
Multiple Paths Join for Nested **Relational Data**bases Hong-Cheu Liu Kotagiri Ramamohanarao
munkora.cs.mu.oz.au/publications/tr_db/./mu_93_23.ps.gz

<u>A Hypertext System for Integrating Heterogeneous, Autonomous.. - Noll, Scacchi (1994)</u> <u>(Correct)</u> <u>(2 citations)</u>
local objects, and a gateway process that **transforms** local objects into DHT nodes and links, and DHT
values. e SLCSE and NuMil use the underlying **relational** dbms to provide concurrency control. f Dml
Hypertext System (DHT)Based on a hypertext **data** model and client-server architecture, DHT features

h   c e ee   e   c c   f   g e   h e   ch c

cwis.usc.edu/dept/ATRIUM/Papers/Integrating_Software_Repositories.ps

Integrating Temporal, Real-Time, and Active Databases - Ramamritham.. (1996)   (Correct)   (3 citations)
Integrating Temporal, Real-Time, and Active **Databases** Krithi Ramamritham, Raju Sivasankaran, John
www-ccs.cs.umass.edu/~sim/sigrec96.ps

The Data Reduction Expert Assistant - Miller (1992)   (Correct)
- 1 -The **Data** Reduction Expert Assistant Glenn E. Miller Space
www.stsci.edu/~miller/draco/draco-aldb.ps

Theory Combination: an alternative to Data Combination - Ting, Low (1996)   (Correct)
Measure of characterisation Fig. A. **Transforming** individual cross-validation test points to a
Theory Combination: an alternative to **Data** Combination Kai Ming Ting
www.cs.waikato.ac.nz/~ml/publications/1996/KaiMing-WP96.ps

Scheduling Access To Temporal Data In Real-Time Databases - Xiong, Sivasankaran.. (1997)   (Correct)
(3 citations)
1 Scheduling Access To Temporal **Data** In Real-Time **Data**bases Ming Xiong, Rajendran
www-ccs.cs.umass.edu/~sim/rtdb-chapter96.ps

Databases for Active, Rapidly, Changing data Systems (ARCS) and.. - Datta (1996)   (Correct)   (1 citation)
extensions to conventional **data** models such as **relational** or object-oriented, or have concerned
Databases for Active, Rapidly, Changing **data** Systems
loochi.bpa.arizona.edu/pub/publications/tse.ps.gz

Hierarchical Solution Techniques for Realistic Rendering - Sillion   (Correct)
algorithm The radiosity method consists of **transforming** Equation 1 into a linear system of equations
in this field have promoted the use of **hierarchical data** structures and algorithms to represent radiant
Hierarchical Solution Techniques for Realistic Rendering
w3imagis.imag.fr/Publications/fxs/S95gc.ps.gz

MacFS: A Portable Macintosh File System Library - Dinda, Necula, Price (1998)   (Correct)
not well suited to reentrancy and that its complex **data** structures can lead to slow implementations in
Virtual File System. We describe the Macintosh **Hierarchical** File System and our implementation and note
reports-archive.adm.cs.cmu.edu/anon/1998/CMU-CS-98-145.ps

Energy-Efficient Index Replication for Wireless Data Broadcasting - Yon Dohn   (Correct)
Energy-Efficient Index Replication for Wireless **Data** Broadcasting Yon Dohn Chung Myoung Ho Kim
in our paper, organizes the index in a **hierarchical** structure and replicates partial indexs
dbserver.kaist.ac.kr/NEW/warehouse/./thesis_store/ydchung7.ps.gz

Representative Objects: Concise Representations of.. - Nestorov, Ullman.. (1997)   (Correct)   (37 citations)
Construction of a minimal FRO from a DFA The **transform**ation from a DFA to an object in OEM is
data, unlike **data** stored in typical **relational** or object-oriented **databases**, does not have
Representations of Semistructured, **Hierarchical Data** Svetlozar Nestorov, Jeffrey Ullman, Janet Wiener,
www-db.stanford.edu/pub/papers/representative-object.ps

DEFLATE Compressed Data Format Specification version 1.3 - Deutsch (1996)   (Correct)   (4 citations)
Category: Informational May 1996 DEFLATE Compressed **Data** Format Specification version 1.3 Status of This
ftp.kiae.su/pub/.1/internet/rfc/rfc1951.ps

Chapter 1 Driving Issues in Scalable Libraries.. - Anthony Skjellum   (Correct)
Issues in Scalable Libraries: Poly-Algorithms, **Data** Distribution Independence, Redistribution, Local
www.cs.msstate.edu/~tony/documents/Toolbox/siam_7thpar.ps.Z

First 20 documents Next 20

Try your query at: Amazon   Barnes & Noble   Google (CiteSeer)   Google (Web)   CSB
DBLP

h   c e ee   e   c   c   f   g   e   h e   ch c

h   c e ee   e   c   c   f   g   e   h e   ch c

CiteSeer Find: [1relational database into hierarchical] [Documents] [Citations]

Searching for **PHRASE 1relational database into hierarchical database**.
Restrict to: <u>Header</u> <u>Title</u> Order by: <u>Expected citations</u> <u>Hubs</u> <u>Usage</u> <u>Date</u> Try: <u>Amazon</u> <u>B&N</u> <u>Google</u>
<u>(CiteSeer)</u> <u>Google (Web)</u> <u>CSB</u> <u>DBLP</u>
No documents match Boolean query. Trying non-Boolean relevance query.
1000 documents found. Retrieving documents... **Order: relevance to query.**

<u>Large Object Support in POSTGRES - Stonebraker, Olson (1993)</u> (Correct) (4 citations)
file-oriented access to large objects in the **database**. The support for user-defined storage managers
large data objects. WiSS decomposes large objects **into** pages, which are the fundamental unit of
implementations supporting large objects in **database** systems [BILI92]Typically, these
s2k-ftp.cs.berkeley.edu:8000/sequoia/tech-reports/s2k-93-30/s2k-93-30.ps.Z

<u>CSDC - The MoTiV Car Speech Data Collection - Langmann, Pfitzinger.. (1998)</u> (Correct) (4 citations)
The partners designed and conducted a **database** collection for German speech data in different
of carsystem information (radio, speed, etc.**into** the recognizer (CSDC3/4)ix) Enable studies
first step, the partners designed and conducted a **database** collection for German speech data in different
www.phonetik.uni-muenchen.de/Publications/Pfitzinger_LREC98b.ps

<u>Multi-modal person verification tools using speech and .. - Acheroy, Beumier.. (1996)</u> (Correct) (2 citations)
a service, e.g. consulting an updated document or **database**, is difficult to open to wide public as this
television sequences are then down-converted **into** CIF (288x360 pixels, 25Hz-Progressive, 4:2:2)
of personal computers and work stations. 2 **Database** for tests The goal of a multi-modal recognition
ftp.elec.rma.ac.be/user/beumier/PAPERS/ecmast.ps.gz

<u>On the Non-monotonic Behavior of Event Calculus for.. - Cervesato.. (1993)</u> (Correct)
narrative understanding and the management of **database** updates, at which EC was initially aimed. In the
new event is notified to the system, it is recorded **into** the **database** of events. Assuming that events
. The resulting versions of PEC and PMEC are **hierarchical** and then terminating. The thesis immediately
cs.utep.edu/provetti/Papers/intComp93.ps

<u>Interoperability Between Object-Oriented Programming Languages.. - Chen Huang (1995)</u> (Correct)
to support accessing and manipulating relational **databases**. The work described in this paper aims to
insect.sd.monash.edu.au/research/publications/1995/TR95-21.ps

<u>Run-Time Optimizations of Join Queries for Distributed.. - Shahabi, Khan, McLeod, ..</u> (Correct)
Optimizations of Join Queries for Distributed **Databases** over the Internet Cyrus Shahabi, Latifur
constructed in the Java language and incorporated **into** the experimental setup. The results demonstrate
in the context of an Internet-based distributed **database** environment. More and more common are **database**
www-scf.usc.edu/~lkhan/report.ps

<u>A Direct Manipulation User Interface for Querying.. - de Oliveira, Medeiros</u> (Correct)
User Interface for Querying Geographic **Databases** Juliano Lopes de Oliveira Claudia Bauzer
specific aspects of georeferenced data. Once stored **into** a gis, georeferenced data can be classified **into**
object oriented conceptual view of the underlying **database**, independent of the **database**'s native data
www.dcc.unicamp.br/adb/docs/adb95.ps.gz

<u>Materializing the Web - De Rosa, Catarci, Iocchi, Nardi.. (1998)</u> (Correct) (4 citations)
and making them accessible to the user through a **database** query paradigm. The basic idea is to build, once
characteristics. First of all, systems are divided **into** so-called surfers and hunters. The former class
1 which shows the various classes, how they are **hierarchically** organized, and, for each class, its
ftp.dis.uniroma1.it/pub/iocchi/publications/web-coopis98.ps.gz

<u>Do we need the closed-world assumption in knowledge representation? - Hustadt (1994)</u> (Correct) (2 citations)
e-mail hustadt@mpi-sb.mpg.de 1 Introduction **Database** systems and knowledge representation systems
and question handler without taking declaration (1) **into** account. For instance, it is not possible to find
of queries and manipulation of data. The **database** management system of a **database** system provides
sunsite.informatik.rwth-aachen.de/Publications/CEUR-WS/Vol-1/hustadt-long.ps

h   c e ee   e   c   b   b

mmCIF Software Tools - Shu-Hsin Hsieh   (Correct)
Steven Schirripa John D. Westbrook Nucleic Acid **Database** Project Department of Chemistry Rutgers, The
how these tools may be used to integrate mmCIF data **into** new and existing applications. Participants are
software framework developed by the Nucleic Acid **Database** (NDB) 1, 2] to address practical problems
ftp.sdsc.edu/pub/sdsc/societies/IUCr/School96/jw/mmCIF.ps.gz

Building a Scalable Geo-Spatial DBMS: Technology.. - Patel, Yu, Kabra, .. (1997)   (Correct)   (3 citations)
of new techniques for parallelizing geo-spatial **database** systems and discusses their implementation in
Network streams can be further specialized **into** split streams which are used to demultiplex an
implementation in the Paradise object-relational **database** system. The effectiveness of these techniques is
www.cs.wisc.edu/~jiebing/sigmod97.ps

Behaviour Specification in Database Interoperation - Vermeer, Apers (1997)   (Correct)   (2 citations)
Behaviour Specification in **Database** Interoperation Mark W.W. Vermeer and Peter M.G.
step, the local and remote **database** are brought **into** a common semantical context, so that they can be
behaviour in a federation of object-oriented **databases**. In particular, given a specification of an
wwwis.cs.utwente.nl:8080/isdoc/confpaper/vermeer.caise97.accepted.ps.gz

Generic and Fully Automatic Content Based Image Retrieval.. - Choubey, Raghavan (1997)   (Correct)
to be used for on-line retrieval from large image **databases**. In this paper, we propose a generic and
image [1]Approaches to CBIR can be classified **into** two broad classes of attribute-based and
applications and entertainment industry. Image **databases** are becoming common in medicine,
www.cacs.usl.edu/Departments/CACS/Publications/Raghavan/ChRa97a.ps.Z

Chimera Prototyping Tool: User Manual - Summa Ry   (Correct)
Intelligent **Database** Environment for Advanced Applications IDEA
uran.informatik.uni-bonn.de/~idea/CPT/cpt_usermanual.ps.gz

Sustaining Interaction in Database Query - Inder, Stader   (Correct)
1 Sustaining Interaction in **Database** Query R. Inder a and J. Stader b a Human
research on **database** systems breaks the problem **into** two halves-formulating a query and presenting
Edinburgh EH1 1HN Scotland Current research on **database** systems breaks the problem **into** two
ftp.cogsci.ed.ac.uk/pub/robert/hcii95-dbquery.ps.gz

Rule-Based Query Optimization, Revisited - Warshaw, Miranker (1999)   (Correct)   (1 citation)
in Venus. Venus is a general-purpose active-**database** rule language embedded in CFollowing the
of relational **database** management systems **into** arbitrary data-types, the adoption of the SQL3
in CFollowing the developments in extensible **database** query optimizers, first in rule-based form
www.arlut.utexas.edu/~warshaw/papers/rule-opt99.ps

Specification and Efficient Monitoring of Local.. - Arnold, Mark, Navathe (1994)   (Correct)
a hypermedia system can be considered a type of **database**, it is natural to apply results from **database**
data from disk to memory and back. Thus, taking **into** consideration the disk access problem and the
of **database**, it is natural to apply results from **database** research to hypermedia. This is especially
ftp.cc.gatech.edu/pub/tech_reports/94/GIT-CC-94-56.ps.Z

An Implementation of the SVP Database Model - Claudia Amador   (Correct)
An Implementation of the SVP **Database** Model Claudia Amador Computer Science
`restructuring 'transducers that coerce the input **into** the assumed sequence format. SVP-transducers
an implementation of the SVP data model. SVP is a **database** model intended for modeling both set and stream
www.cs.ucla.edu/~stott/svp/implementation/final.report.ps.Z

Image Databases are not Databases with Images - Simone Santini (1997)   (Correct)   (1 citation)
Image **Databases** are not **Databases** with Images Simone Santini
the organism 2 9]If we take the environment **into** account, we notice that-at least for an
Image **Databases** are not **Databases** with Images Simone Santini and Ramesh Jain
vision.ucsd.edu/~ssantini/articles/imgdb/iciap97.ps.Z

DARWIN: On the Incremental Migration of Legacy Information.. - Brodie, Stonebraker (1993)   (Correct)
(11 citations)

h   c e ee   e. c   b   b

CiteSeer Find: |relational into hierarchical database| [Documents] [Citations]

Searching for **PHRASE relational into hierarchical database**.
Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Amazon B&N Google
(CiteSeer) Google (Web) CSB DBLP
No documents match Boolean query. Trying non-Boolean relevance query.
1000 documents found. Retrieving documents... **Order: relevance to query.**

Object/Relational Access Layers - A Roadmap, Missing Links and.. - Keller (Correct)
make copies for conference use. Page 1 Object/**Relational** Access Layers A Roadmap, Missing Links and
www.coldewey.com/europlop98/Program/Papers/Keller.ps

Views of Objects and Rules - Topor (Correct)
for reuse, extensibility and modifiability. **Relational** and deductive **database** systems provide a simple
model [11]This paper sparked a flurry of research **into** the theory and implementation of **relational**
4111, Australia Abstract Object-oriented **database** systems provide expressive power and the
www.cit.gu.edu.au/~rwt/papers/ADC94.ps

ActiveData/Knowledge Base Research At The University of.. - Chakravarthy, Hanson, Su (1992) (Correct)
them in several significant ways. 2.3 Extended **Relational** Algebra (ERA) One of the optimization
monitoring[CG91]seamless integration of ECA rules **into** a DBPL[ANW92]communication among application
of Florida S. Chakravarthy E. Hanson S. Y. W. Su **Database** Systems Research and Development Center
Computer
ftp.cis.ufl.edu/pub/tech-reports/tr92/tr92-047.ps.Z

A Hypertext System for Integrating Heterogeneous, Autonomous.. - Noll, Scacchi (1994) (Correct) (2 citations)
values. e SLCSE and NuMil use the underlying **relational** dbms to provide concurrency control. f Dml
is a simple concept for organizing information **into** a graph structure of linked container objects.
types no no a Directories" refers to **hierarchical** containers of objects or other directories.
cwis.usc.edu/dept/ATRIUM/Papers/Integrating_Software_Repositories.ps

Views, Objects, and Databases - Wiederhold (1986) (Correct) (5 citations)
access to use information stored in a **relational database**. A implementation of the sketched
views, but transform user operations on views **into** operations over the base data. The final result is
may be composed from more primitive objects. In **hierarchical databases** records may be assembled from lower
www-db.stanford.edu/pub/gio/1986/vod.ps

Frames, Objects and Relations: Three Semantic.. - Norrie, Reimer.. (1994) (Correct)
bridging the semantic gap between the frame and **relational** levels and enabling the use of semantic
to be revised according to new information received **into** the system. This is most clearly visible in a
for large-scale knowledge base systems based on **database** technologies and the three levels of semantic
www.globis.ethz.ch/publications/docs/1994d-nrlrs-krdb.ps.gz

An Algebra for Structured Text Search and A Framework.. - Clarke, Cormack.. (1995) (Correct) (25 citations)
Query Language (SFQL) standard [1] extend the **relational** model to support **hierarchically** structured
"Dunsinane"Various extensions are incorporated **into** the basic algebra: Word truncation operators
of these proposals view document structure as **hierarchical**. Gonnet and Tompa [5] propose the use of a
cs-archive.uwaterloo.ca/cs-archive/CS-94-30/structxt.ps

SQL Can Maintain Polynomial-Hierarchy Queries - Libkin, Wong (1997) (Correct)
not properly reflecting the power of practical **relational** systems. This is because IES(FO) uses
The update function when a tuple o is inserted **into** R is given by EVEN n 1) iff (R(o) EVEN o
the query Q is a system consisting of input **database** I, an answer **database** A, an optional auxiliary
sdmc.krdl.org.sg/kleisli/psZ/lw-ph-23sept97.ps

Sub-element Indexing and Probabilistic Retrieval in the POSTGRES .. - Fontaine (1995) (Correct) (1 citation)
by the user and added more easily than with most **relational database** systems. POSTGRES also provides
ideas of Lynch[8] and Cooper[3] are incorporated **into** the system. The POSTGRES **database** system was used
and Probabilistic Retrieval in the POSTGRES **Database** System Anne Fontaine May 23, 1995 1

h	c e ee	e	c	c	e	h e	ch c	b	e	c	c

wuarchive.wustl.edu/packages/postgres/papers/CSD-95-876.ps.Z

A Comparative Evaluation of Active Relational Databases - Chakravarthy (1993) (Correct) (6 citations)
Sciences A Comparative Evaluation of Active **Relational Databases** S. Chakravarthy email:
The events to be monitored can be categorized **into**: **database** events (typically, insert, delete, and
A Comparative Evaluation of Active **Relational Databases** S. Chakravarthy email:
ftp.cis.ufl.edu/pub/tech-reports/tr93/tr93-002.ps.Z

Query Optimization using Horizontal Class.. - Bellatreche.. (Correct)
irrelevant data accessed by the queries in both **relational databases** [7]22]and [20]and object
models for query processing in OODBSs do not take **into** consideration the HCP criteria. In this paper, we
Horizontal Class Partitioning in Object Oriented **Databases** Ladjel Bellatreche Kamalakar Karlapalem
www.cs.ust.hk/~ladjel/inforsid.ps

Design and Implementation of a Database Environment for the.. - Sengupta (1995) (Correct) (1 citation)
interfaces similar to those that exist in the **relational** domain. The goal for the present research is to
of information. Various languages came **into** picture: algebraic (**Relational** Algebra)
of **database** systems: 1. First Generation: **Hierarchical** and Network **Databases** 2. Second Generation:
www.cs.indiana.edu/~asengupt/asengupt/asengupt/asengupt/thesis/oral/oral.ps

Dynamic Generation and Refinement of Concept Hierarchies for.. - Han, Fu (1994) (Correct) (13 citations)
discovery system and tested against large **relational databases**. The experimental results show that
the generalized data is simplified and transformed **into** a set of generalized rules for different
hierarchies organize data and concepts in **hierarchical** forms or in certain partial order, which helps
ftp.fas.sfu.ca/pub/cs/han/kdd/dyn94.ps

METU Interoperable Database System - Dogac Dengi (1995) (Correct) (9 citations)
SQL. This makes it possible to incorporate both **relational** and object oriented **databases into** the system.
both **relational** and object oriented **databases into** the system. Currently Oracle7, Sybase and METU
METU Interoperable **Database** System A. Dogac, C. Dengi, E. Kilic, G. Ozhan,
ftp.srdc.metu.edu.tr/pub/mind/papers/sigmodrec95.ps.Z

Hy+ User's Manual - Eigler (Correct)
6 Mapping from schematic hygraph elements to **relational** predicates :81[13] 7
allows recursive decomposition of a large graph **into hierarchical** components, much like Harel's
recursive decomposition of a large graph **into hierarchical** components, much like Harel's formulation of
ftp.cs.toronto.edu/pub/reports/csri/285/5-user_manual.ps.Z

Drafting ER and OO Schemas in Prototyping Environments - Meyer, Westerman, Gogolla (1996) (Correct)
which is semantically well-founded, safe, and **relationally** complete [21,15,12]Another powerful
constraints, and data-manipulation statements **into** Prolog programs. All features mentioned are
the main difference is that our calculus is not **hierarchical**: we additionally introduce ranges, which are
www.db.informatik.uni-bremen.de/publications/Meyer_1996_DKE.ps.gz

Interoperability Between Object-Oriented Programming Languages.. - Chen Huang (1995) (Correct)
Object-Oriented Programming Languages and **Relational** Systems J. Chen, Q.M. Huang and A.S.M. Sajeev
importantly, there has been a huge investment put **into** RDBs in the last two decades. It is neither
insect.sd.monash.edu.au/research/publications/1995/TR95-21.ps

Analyzing FD Inference in Relational Databases - John Hale (1996) (Correct) (1 citation)
Analyzing FD Inference in **Relational Databases** John Hale and Sujeet Shenoi
is the decomposition of a fuzzy set X **into** its ff-cuts, X ff ,according to the resolution
Analyzing FD Inference in **Relational Databases** John Hale and Sujeet Shenoi Department of
euler.mcs.utulsa.edu/~hale/dke.ps

On the Expressive Power of the Relational Algebra with.. - Ng, Levene, Fenner (2000) (Correct) (1 citation)
On the Expressive Power of the **Relational** Algebra with Partially Ordered Domains Wilfred
S `D in the above definition is that we take **into** account the fact that the active domain of a
invariant under order-preserving automorphism of **databases**. The extension is justified by its consistency
cs.ucl.ac.uk/mlevene/pora.ps.gz

h   c e ee   e   c   c   e   h e   ch c   b   e   c   c

<u>Genetic Algorithms for Optimal Logical Database Design - van Bommel, Lucasius, van.. (1994)</u>   <u>(Correct)</u>
<u>(1 citation)</u>
internal modelling techniques are based on the **relational** data model (26]the **hierarchical** data model
viz. the transformation of conceptual data models **into** efficient internal representations. Although we
based on the **relational** data model (26]the **hierarchical** data model (e.g. non-first-normal-form or NF
ftp.cs.kun.nl/pub/SoftwEng.InfSyst/articles/GenAlgDbOpt.ps.Z

First 20 documents   <u>Next 20</u>

Try your query at: <u>Amazon</u>   <u>Barnes & Noble</u>   <u>Google (CiteSeer)</u>   <u>Google (Web)</u>   <u>CSB</u>
<u>DBLP</u>

CiteSeer.IST - Copyright <u>NEC</u> and <u>IST</u>

h   c   e   ee   e   c   c   e   h e   ch c   b   e   c   c